

EasyFoam®

Non-acid foaming condenser cleaner

EasyFoam® is a heavy duty, ready-to-use cleaner for use on air conditioning condenser coils. Its foaming formulation and powerful aerosol jet make it ideal for removing stubborn dirt from deep within problem coils.

Specification

Name	EasyFoam
Product Code	EYFM1201
Packing Quantity	12 x 500ml
Packing Size (L x H x D) cm	21 x 25 x 27
Shipping Weight (Kg)	7.7
Shipping Volume (m3)	0.0145
Application	Non-acid foaming condenser cleaner
Soils	Smoke films, dust, airborne debris
Dilution (water:product)	NO
Contact Period	As required
Rinse/Flush Required	YES
Special Features	Heavy Duty



Directions for use

--	--	--	--

Turn system off. Isolate electrics. Start spraying EasyFoam® into coil at bottom of inlet face, working up and across methodically. Very quickly, an expanding foam will be generated which will force out all dirt. Allow foaming action to finish. Cleaning is more effective if coil is still warm. After cleaning, rinse thoroughly with fresh water.

F+ 	C 	EasyFoam®
---------------	--------------	------------------

Extremely Flammable - Corrosive UN1950
Contains Sodium Hydroxide

R12: Extremely flammable. R34: Causes burns. S1/2: Keep locked up and out of the reach of children. S16: Keep away from sources of ignition - No smoking. S24/25: Avoid contact with skin and eyes. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39: Wear suitable protective clothing, gloves and eye / face protection. S38: In case of insufficient ventilation, wear suitable respiratory equipment. S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S51: Use only in well-ventilated areas. S23: Do not breathe spray.

Consult Safety Data Sheet for full safety information. Always wear suitable PPE.

This product should only be used by trained operatives. The "directions for use" are recommendations only; correct use will depend upon circumstances. To the extent permitted, no liability can be accepted for loss resulting from its use. Advanced Engineering follows a policy of continual product improvement. For this reason, some materials and specifications could change without notice.



Advanced Engineering Ltd
 Guardian House, Stroudley Road
 Basingstoke, Hants, RG24 8NL. UK
 Tel: +44(0)1256 460300
 sales@advancedengineering.co.uk
 www.advancedengineering.co.uk